

Appointment

From: Holbrook, Holly [Holly.Holbrook@aecom.com]
Sent: 7/25/2022 6:59:30 PM
To: Holbrook, Holly [Holly.Holbrook@aecom.com]; Abreu, Lilian [abreu.lilian@epa.gov]; Nandi, Joshua [US] (ES) [Joshua.Nandi@ngc.com]
CC: robert.ariatti@ngc.com; Michael.Shannon@ngc.com
Subject: Former TRW Microwave Site
Location: Microsoft Teams Meeting
Start: 8/12/2022 5:00:00 PM
End: 8/12/2022 6:00:00 PM
Show Time As: Busy

Recurrence: (none)

Good afternoon,

We would like to have a meeting to discuss the proposed passive sub-slab ventilation system modifications and indoor air sampling discussed in the USEPA letter dated 21 July 2022.

Thank you,

Holly Holbrook

Microsoft Teams meeting

Join on your computer or mobile app

[Click here to join the meeting](#)

Meeting ID: Ex. 6 Personal Privacy (PP)

Passcode: Ex. 6 Personal Privacy (PP)

[Download Teams](#) | [Join on the web](#)

Join with a video conferencing device

[176484854@teams.bjn.vc](tel:176484854@teams.bjn.vc)

Video Conference ID: Ex. 6 Personal Privacy (PP)

[Alternate VTC instructions](#)

Or call in (audio only)

[+1 213-204-2377,377914105#](tel:+12132042377,377914105#) United States, Los Angeles

[\(877\) 286-5733,377914105#](tel:(877)286-5733,377914105#) United States (Toll-free)

Phone Conference ID: Ex. 6 Personal Privacy (PP)

[Find a local number](#) | [Reset PIN](#)

[Learn More](#) | [Meeting options](#)

.....